

TOUCH STONE



COLOURI



BLUE

SAND

MILK



STORM

COAL





BRICK ± 9,5 mm

Majolica Matt
6x24 - 2³/₈"x9⁷/₁₆"



Majolica Lux
6x24 - 2³/₈"x9⁷/₁₆"



TRIMS

	Dimensione Size	 Blue	 Sand	 Milk	 Storm	 Coal
 Bullnose	Matt R9 6x24 - 2 ³ / ₈ "x9 ⁷ / ₁₆ " Pcs. Box 36	•	•	•	•	•
	Lux 6x24 - 2 ³ / ₈ "x9 ⁷ / ₁₆ " Pcs. Box 36	•	•	•	•	•

PACKING AND WEIGHT

Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
6x24 Majolica Lux - Matt	9,5	69,44	36	0,518	11,40	95	49,21	1083





TOUCH STONE

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL
ANSI A137.1 - CLASS P1



TECHNICAL FEATURES	STANDARD	VALUE
	UNI EN ISO 10545/3	Compliant
	ASTM C373	Compliant
	SPESSORE	9,5 mm
	UNI EN ISO 10545/4	≥ 45 N/mm²
	UNI EN ISO 10545/4	≥ 2000 N
	ASTM C648	≥ 400 lbf
	UNI EN ISO 10545/12	Compliant
	ASTM C1026	Unaffected
	UNI EN ISO 10545/13	A - LA - HA
	ASTM C-650	Unaffected
	UNI EN ISO 10545/14	5
	ASTM C1378	Class A
	MAJOLICA	
		MATT LUX
	DIN EN 16165 Annex B	R9 -
	DIN EN 16165 Annex A	- -
	ANSI A326.3:2017 DCOF	WET ≥ 0,42 -
	B.C.R.A. D.M. N. 236 14/6/89	> 0,40 -
	AS 4586-2013 Anexo A	- -
	BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	- -
	UNE 41901:2017 EX DB SUA (actual)	- -



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
UL.COM/CG
UL 2818



放射性水平A类



15% 9,5 mm
valori medi - average values



Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com

TOUCH STONE



COLOURI