

FIELD STONE



SASSO



FLOOR Beige Neutra Silktech R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
WALL Beige Neutra Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Ritmo Beige Silktech R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}", Beige Sassi Natural R10 Rect. 120x278 - 47^{1/4}"x109^{7/16}"
FURNITURE Beige Sassi Natural R10 Rect. 120x278 - 47^{1/4}"x109^{7/16}"





FLOOR Dark Grey Neutra Silktech R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
WALL Dark Grey Sassi Silktech R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"



White Neutra

Beige Neutra

Greige Neutra

Dark Grey Neutra



FIELD STONE

COLOURS AND SIZES


NEUTRA

 6,5 mm.




Natural R10 Rect.
120x278 - 47^{1/4}"x109^{7/16}"
White
Beige
available in spring 2026

 9 mm.




Silktech R10 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
White
Beige
10 patterns

Silktech Plus R11 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
White
Beige
10 patterns



Silktech R10 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
White
Beige
Greige
Dark Grey
up to 19 patterns

Silktech Plus R11 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
White
Beige
Greige
Dark Grey
up to 19 patterns



Silktech R10 Rect.
100x100 - 39^{3/8}"x39^{3/8}"
White
Beige
disponibile a primavera 2026
available in spring 2026



Silktech R10 Rect.
60x60 - 23^{5/8}"x23^{5/8}"
White
Beige
Greige
Dark Grey
up to 38 patterns



Silktech R10 Rect.
30x60 - 11^{13/16}"x23^{5/8}"
White
Beige
Greige
Dark Grey
up to 76 patterns

Laying with a 2 mm-joint is recommended.
Check the colour matching between different sizes.



White Sassi



Beige Sassi



Greige Sassi



Dark Grey Sassi



FIELD STONE

COLOURS AND SIZES


SASSI

 6,5 mm.



Natural R10 Rect.
120x278 - 47^{1/4}"x109^{7/16}"
White
Beige
5 patterns

 9 mm.




Silktech R10 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
White
Beige
10 patterns

Silktech Plus R11 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
White
Beige
10 patterns



Silktech R10 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
White
Beige
Greige
Dark Grey
up to 17 patterns

Silktech Plus R11 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
White
Beige
Greige
Dark Grey
up to 17 patterns



Silktech R10 Rect.
100x100 - 39^{3/8}"x39^{3/8}"
White
Beige
Greige
15 patterns




Silktech R10 Rect.
60x60 - 23^{5/8}"x23^{5/8}"
White
Beige
Greige
Dark Grey
up to 32 patterns



Silktech R10 Rect.
30x60 - 11^{13/16}"x23^{5/8}"
White
Beige
Greige
Dark Grey
up to 64 patterns

20MM



Natural R11 Rect.
100x100 - 39^{3/8}"x39^{3/8}"
White
Beige
Greige
15 patterns



Natural R11 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
Beige
available in spring 2026

Laying with a 2 mm-joint is recommended.
Check the colour matching between different sizes.



FIELD STONE

DECORS

9 mm. **RITMO** Silktech R10 Rect.



60x120 - 23^{5/8}"x47^{1/4}"

Ritmo White

4 patterns




60x120 - 23^{5/8}"x47^{1/4}"

Ritmo Beige

4 patterns


MOSAICO NEUTRA 5X5* Silktech R10

Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"

White




30x30 - 11^{13/16}"x11^{13/16}"

Beige

MOSAICO SASSI 5X5* Silktech R10

Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"

White



30x30 - 11^{13/16}"x11^{13/16}"

Beige

* On fibre mesh backing



FIELD STONE

DECORS

 9 mm. **RITMO** Silktech R10 Rect.



60x120 - 23^{5/8}"x47^{1/4}"

Ritmo Greige

4 patterns



60x120 - 23^{5/8}"x47^{1/4}"

Ritmo Dark Grey

4 patterns


MOSAICO NEUTRA 5X5* Silktech R10

Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"

Greige



30x30 - 11^{13/16}"x11^{13/16}"

Dark Grey


MOSAICO SASSI 5X5* Silktech R10

Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"

Greige



30x30 - 11^{13/16}"x11^{13/16}"



Dark Grey

* On fibre mesh backing



FIELD STONE

TRIMS

NEUTRA	Size				
		White	Beige	Greige	Dark Grey
 Skirting	Silktech R10 Rect. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 16 - LM x Box 9,60	•	•	•	•
	Silktech R10 Rect. 7x100 - 2 ^{3/4} "x39 ^{3/8} " Pcs. Box. 8 - LM x Box 8,00	•	•	-	-
 Stair Tread	Silktech R10 Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•
 Step	Silktech R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•
 Corner Tile Right Left	Silktech R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •

SASSI	Size				
		White	Beige	Greige	Dark Grey
 Skirting	Silktech R10 Rect. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 16 - LM x Box 9,60	•	•	•	•
	Silktech R10 Rect. 7x100 - 2 ^{3/4} "x39 ^{3/8} " Pcs. Box. 8 - LM x Box 8,00	•	•	•	-
 Stair Tread	Silktech R10 Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•
 Step	Silktech R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•
 Corner Tile Right Left	Silktech R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •

20mm trims available on request.



FIELD STONE

PACKING AND WEIGHT

Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
120x278 Natural R10	6,5	0,30	1	3,336	50,04	vedi sotto - see below		
120x120 Silktech R10 - Silktech Plus R11	9	0,69	1	1,440	30,24	36	51,84	1089
100x100 Silktech R10	9	1,00	2	2,000	42,00	24	48,00	1008
60x120 Silktech R10- Silktech Plus R11	9	1,39	2	1,440	30,24	36	51,84	1089
60x60 Silktech R10	9	2,78	3	1,080	22,68	40	43,20	907
30x60 Silktech R10	9	5,56	6	1,080	22,68	48	51,84	1089
60x120 Ritmo Silktech R10	9	1,39	2	1,440	30,24	36	51,84	1089
30x30 Mosaico 5X5 Silktech R10	9	11,11	5	0,450	8,73	60	27,00	524
100x100 20MM Natural R11	20	1,00	1	1,000	46,00	21	21,00	966
60x120 20MM Natural R11	20	1,39	1	0,720	33,12	36	25,92	1192

Slabs 120x278

Item	Size cm	No. of Slabs	Sqm per Pack	Weight of Packaging Kg	Weight of Packaging + Slabs Kg
 Crate	137x292x29h	5	16,68	107	357,20
	137x292x42h	18	60,05	145	1045,72
 A-Frame	75x290x160h	40	133,44	180	2181,60



FIELD STONE

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL
ANSI A137.1 - CLASS P1



TECHNICAL FEATURES	STANDARD	VALUE		
	WATER ABSORPTION	UNI EN ISO 10545/3	Conforme	
		ASTM C373	Compliant	
	MODULUS OF RUPTURE	SPESSORE	6,5 mm	9 mm 20MM
		UNI EN ISO 10545/4	≥ 35 N/mm ²	≥ 45 N/mm ² ≥ 45 N/mm ²
	BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 700 N	≥ 2000 N ≥ 12000 N
		ASTM C648	≥ 175 lbf	≥ 400 lbf ≥ 2500 lbf
	FROST RESISTANCE	UNI EN ISO 10545/12	Conforme	
		ASTM C1026	Unaffected	
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A - LA - HA	
		ASTM C650	Unaffected	
	STAIN RESISTANCE	UNI EN ISO 10545/14	5	
		ASTM C1378	Class A	
	SLIP RESISTANCE		NATURAL	SILKTECH SILKTECH PLUS / 20MM
		DIN EN 16165 Annex B	R10	R10 R11
		DIN EN 16165 Annex A	-	B (A+B) B (A+B)
		ANSI A326.3:2017 DCOF	WET ≥ 0,50	WET ≥ 0,50 WET ≥ 0,65
		B.C.R.A. D.M. N. 236 14/6/89	> 0,40	> 0,40 > 0,40
		AS 4586-2013 Anexo A	-	P3 P4
		BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	< 36 Moderate Slip potential - Both sliders	> 36 Low Slip potential - Both sliders > 36 Low Slip potential - Both sliders
		UNE 41901:2017 EX DB SUA (actual)	-	2 3




PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS:
ULCOM/GG
UL 2818



120x278



放射性水平A类



valori medi - average values



V3 High

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com



FLOOR Dark Grey Sassi Silktech R10 Rett. 60x120 - 23⁵/₈" x 47¹/₄"
FURNITURE White Sassi Natural R10 Rett. 120x278 - 47¹/₄" x 109⁷/₁₆"

FIELD STONE



SASSO