

REINVENTA PLANKS



SASSO



FLOOR Walnut Brick Naturale R10 5,3x30 - 2¹/₁₆" x 11¹³/₁₆"
WALL&FURNITURE Walnut Naturale R10 10x10 - 3¹⁵/₁₆" x 3¹⁵/₁₆"
Unique Intensity Grey Purestone Naturale R10 Rett. 120x278 - 47¹/₄" x 109⁷/₁₆"



FLOOR Oak Naturale R10 Rett. 10x120 - 3¹⁵/₁₆"x47¹/₄"
FURNITURE Walnut Naturale R10 10x10 - 3¹⁵/₁₆"x3¹⁵/₁₆"
WALL Walnut, Oak Brick Naturale R10 5,3x30 - 2¹/₁₆"x11¹³/₁₆"



REINVENTA PLANKS

COLOURS AND SIZES

9 mm.




20x120 - 7⁷/₈"x47¹/₄"
Wengè Naturale R10 Rett.
24 patterns



10x120 - 3¹⁵/₁₆"x47¹/₄"
Wengè Naturale R10 Rett.
48 patterns




20x120 - 7⁷/₈"x47¹/₄"
Walnut Naturale R10 Rett.
26 patterns



10x120 - 3¹⁵/₁₆"x47¹/₄"
Walnut Naturale R10 Rett.
52 patterns


9,5 mm.




Brick 5,3x30 - 2¹/₁₆"x11¹³/₁₆"
Wengè Naturale R10
132 pattern



10x10 - 3¹⁵/₁₆"x3¹⁵/₁₆"
Wengè Naturale R10
154 pattern



Brick 5,3x30 - 2¹/₁₆"x11¹³/₁₆"
Walnut Naturale R10
83 pattern



10x10 - 3¹⁵/₁₆"x3¹⁵/₁₆"
Walnut Naturale R10
124 pattern



REINVENTA PLANKS

COLOURS AND SIZES

9 mm.



20x120 - 7⁷/₈"x47¹/₄"
Oak Naturale R10 Rett.
26 patterns



10x120 - 3¹⁵/₁₆"x47¹/₄"
Oak Naturale R10 Rett.
52 patterns

9,5 mm.



Brick 5,3x30 - 2¹/₁₆"x11¹³/₁₆"
Oak Naturale R10
99 pattern



10x10 - 3¹⁵/₁₆"x3¹⁵/₁₆"
Oak Naturale R10
123 pattern

Laying with a 2 mm-joint is recommended.
Check the colour matching between different sizes.

TRIMS

| | Size | Wengè | | Walnut | | Oak | |
|--------------------------|--|------------|-----------|------------|-----------|------------|-----------|
| | | • | • | • | • | • | • |
| Skirting | Naturale R10 Rett. 4,6x120 - 1 ¹³ / ₁₆ "x47 ¹ / ₄ " Pcs. Box. 6 - LM x Box 7,20 | • | • | • | • | • | • |
| Step | Naturale R10 Rett. 33x120x3,2x3,2 12 ¹⁵ / ₁₆ "x47 ¹ / ₄ "x1 ¹ / ₄ "x1 ¹ / ₄ " Pcs. Box 2 - LM x Box 2,40 | • | • | • | • | • | • |
| Corner Tile Right Left | Naturale R10 Rett. 33x120x3,2x3,2 12 ¹⁵ / ₁₆ "x47 ¹ / ₄ "x1 ¹ / ₄ "x1 ¹ / ₄ " Pcs. Box 1 - LM x Box 1,20 | Right • | Left • | Right • | Left • | Right • | Left • |

Trims within the scope of EN 14411:2016 have the same surface characteristics as the relative plain tiles.



REINVENTA PLANKS

DECORS

9 mm.

3D SLATS



60x120 - 23^{5/8}"x47^{1/4}"
3D Slats Wengè Naturale R10 Rett.



60x120 - 23^{5/8}"x47^{1/4}"
3D Slats Walnut Naturale R10 Rett.



60x120 - 23^{5/8}"x47^{1/4}"
3D Slats Oak Naturale R10 Rett.




REINVENTA PLANKS

DECORS

MOSAICO 5x5*

Tessera - Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"
Wengè Nat. R10




30x30 - 11^{13/16}"x11^{13/16}"
Walnut Nat. R10




30x30 - 11^{13/16}"x11^{13/16}"
Oak Nat. R10

MOSAICO 3D CUBE*


Tessera - Chip 4,7x4,7 - 1^{7/8}"x1^{7/8}"



28x28 - 11^{1/8}"x11^{1/8}"
Wengè Nat. R10



28x28 - 11^{1/8}"x11^{1/8}"
Walnut Nat. R10



28x28 - 11^{1/8}"x11^{1/8}"
Oak Nat. R10

*On fibre mesh backing



Oak Mosaico 3D Cube Naturale R10 28x28 - 11^{1/8}"x11^{1/8}"



REINVENTA PLANKS

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL
ANSI A137.1 - CLASS P1



| TECHNICAL FEATURES | STANDARD | VALUE |
|--|---|--|
| WATER ABSORPTION | UNI EN ISO 10545/3 | Conforme |
| | ASTM C373 | Compliant |
| MODULUS OF RUPTURE | SPESSORE | 9 / 9,5 mm |
| | UNI EN ISO 10545/4 | ≥ 45 N/mm ² |
| BREAKING STRENGTH | UNI EN ISO 10545/4 | ≥ 2000 N |
| | ASTM C648 | ≥ 400 lbf |
| FROST RESISTANCE | UNI EN ISO 10545/12 | Conforme |
| | ASTM C1026 | Unaffected |
| CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS | UNI EN ISO 10545/13 | A - LA - HA |
| | ASTM C650 | Unaffected |
| STAIN RESISTANCE | UNI EN ISO 10545/14 | 5 |
| | ASTM C1378 | Class A |
| SLIP RESISTANCE | DIN EN 16165 Annex B | R10 |
| | DIN EN 16165 Annex A | B (A+B) |
| | ANSI A326.3:2017 DCOF | WET ≥ 0,50 |
| | B.C.R.A. D.M. N. 236 14/6/89 | > 0,40 |
| | AS 4586-2013 Anexo A | P3 |
| | BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers | > 36 Low Slip potential - Both sliders |
| | UNE 41901:2017 EX DB SUA (actual) | 2 |

10




PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL COMFCC UL 2818



放射性水平A类



15% 9 / 9,5 mm
valori medi - average values



PACKING AND WEIGHT

| Size cm | Thickness mm | Pieces x Sqm | Pieces x Box | Sqm x Box | Weight x Box Kg | Boxes x Pal. | Sqm x Pal. | Weight x Pal. Kg |
|------------------------------------|--------------|--------------|--------------|-----------|-----------------|--------------|------------|------------------|
| 20x120 Naturale R10 | 9 | 4,17 | 5 | 1,200 | 25,20 | 48 | 57,60 | 1210 |
| 10x120 Naturale R10 | 9 | 8,33 | 6 | 0,720 | 15,12 | 70 | 50,40 | 1058 |
| 10x10 Naturale R10 | 9,5 | 100,00 | 72 | 0,720 | 15,84 | 72 | 51,84 | 1140 |
| 5,3x30 Naturale R10 | 9,5 | 63,00 | 34 | 0,544 | 11,88 | 80 | 43,52 | 950 |
| 60x120 3D Slats Naturale R10 | 9 | 1,39 | 2 | 1,440 | 30,24 | 36 | 51,84 | 1089 |
| 30x30 Mosaico 5X5 Naturale R10 | 9 | 11,11 | 5 | 0,450 | 8,73 | 60 | 27,00 | 524 |
| 28x28 Mosaico 3D Cube Naturale R10 | 14 | 12,76 | 4 | 0,314 | 10,38 | 60 | 18,84 | 623 |

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com

Wengè 3D Slats Naturale R10 60x120 - 23^{5/8"} x 47^{1/4"}



REINVENTA PLANKS

SASSO