

SLATE STONE



SASSO



















SLATE STONE


Beige

Bright White

Quartz


COLOURS AND SIZES

▼
▲ **6,5 mm.**



Natural R10 Rect.
120x278 - 47^{1/4"}x109^{7/16"}
Beige
Bright White
Quartz
4 patterns

▼
▲ **9,5 mm.**



Natural R10 Rect.
120x120 - 47^{1/4"}x47^{1/4"}
Beige
Bright White
Quartz
8 patterns



Natural R10 Rect.
60x120 - 23^{5/8"}x47^{1/4"}
Beige
Bright White
Quartz
Up to 14 patterns

Tecnica R11 Rect.
60x120 - 23^{5/8"}x47^{1/4"}
Beige
Quartz
Up to 14 patterns



Natural R10 Rect.
60x60 - 23^{5/8"}x23^{5/8"}
Beige
Bright White
Quartz
Up to 28 patterns



Natural R10 Rect.
30x60 - 11^{13/16"}x23^{5/8"}
Beige
Bright White
Quartz
Up to 56 patterns

▼
▲ **9 mm.**



Natural R10 Rect.
100x100 - 39^{3/8"}x39^{3/8"}
Beige
Bright White
8 patterns

20MM



Natural R11 Rect.
60x120 - 23^{5/8"}x47^{1/4"}
Beige
Quartz
Up to 14 patterns



Natural R11 Rect.
60x60 - 23^{5/8"}x23^{5/8"}
Beige
Quartz
Up to 28 patterns

Laying with a 2 mm-joint is recommended.
Check the colour matching between different sizes.

A close-up image of a light beige, textured surface resembling aged parchment or paper. The texture is characterized by fine, irregular creases and wrinkles that run across the surface, giving it a natural, organic appearance.

Parchment


A close-up image of a medium gray, textured surface. The texture is similar to the parchment above, with fine, irregular creases and wrinkles, but the overall color is a muted, earthy gray.

Grigio


A close-up image of a dark gray to black, textured surface. The texture is consistent with the previous two, showing fine, irregular creases and wrinkles, but the color is a deep, dark charcoal or black.

Nero

COLOURS AND SIZES



Natural R10 Rect.
120x278 - 47^{1/4"}x109^{7/16"}
Parchment
Grigio
Nero
4 patterns




Natural R10 Rect.
120x120 - 47^{1/4"}x47^{1/4"}
Parchment
Grigio
Nero
8 patterns



Natural R10 Rect.
60x120 - 23^{5/8"}x47^{1/4"}
Parchment
Grigio
Nero
16 patterns



Natural R10 Rect.
120x120 - 47^{1/4"}x47^{1/4"}
Parchment
Grigio
Nero
8 patterns



Natural R10 Rect.
90x90 - 35^{7/16"}x35^{7/16"}
Parchment
Grigio
Nero
Up to 15 patterns



Natural R10 Rect.
60x120 - 23^{5/8"}x47^{1/4"}
Parchment
Grigio
Nero
Up to 15 patterns


Tecnica R11 Rect.
60x120 - 23^{5/8"}x47^{1/4"}
Parchment
13 patterns



Natural R10 Rect.
45x90 - 17^{11/16"}x35^{7/16"}
Parchment
Grigio
Nero
Up to 30 patterns



Natural R10 Rect.
30x120 - 11^{13/16"}x47^{1/4"}
Parchment
Grigio
Nero
Up to 30 patterns



Natural R10 Rect.
60x60 - 23^{5/8"}x23^{5/8"}
Parchment
Grigio
Nero
Up to 30 patterns



Natural R10 Rect.
30x60 - 11^{13/16"}x23^{5/8"}
Parchment
Grigio
Nero
Up to 60 patterns



Natural R10 Rect.
10x30 - 3^{15/16"}x11^{13/16"}
Parchment
Grigio
Nero

20MM



Natural R11 Rect.
60x60 - 23^{5/8"}x23^{5/8"}
Grigio
Nero
Up to 30 patterns




Natural R11 Rect.
45x90 - 17^{11/16"}x35^{7/16"}
Grigio
Nero
Up to 30 patterns




SLATE STONE

 6,5 mm. DECORS


LISTELLI SFALSATI* Naturale R10



30x60 - 11^{13/16}"x23^{5/8}"
Parchment



30x60 - 11^{13/16}"x23^{5/8}"
Grigio




30x60 - 11^{13/16}"x23^{5/8}"
Nero

* On fibre mesh backing

 9,5 mm. DECORS

MOSAICO* Naturale R10

Tessera - Chip 2,8x2,8 - 1^{1/8}"x1^{1/8}"



30x30 - 11^{13/16}"x11^{13/16}"
Beige



30x30 - 11^{13/16}"x11^{13/16}"
Bright White




30x30 - 11^{13/16}"x11^{13/16}"
Quartz



30x30 - 11^{13/16}"x11^{13/16}"
Parchment




30x30 - 11^{13/16}"x11^{13/16}"
Grigio ● A96




30x30 - 11^{13/16}"x11^{13/16}"
Nero

 9,5 mm. DECORS


LISTELLI SFALSATI* Naturale R10




30x60 - 11^{13/16}"x23^{5/8}"
Beige



30x60 - 11^{13/16}"x23^{5/8}"
Bright White




30x60 - 11^{13/16}"x23^{5/8}"
Quartz



30x60 - 11^{13/16}"x23^{5/8}"
Parchment



30x60 - 11^{13/16}"x23^{5/8}"
Grigio




30x60 - 11^{13/16}"x23^{5/8}"
Nero


* On fibre mesh backing



SLATE STONE

TRIMS


	Size			
 Skirting	Natural R10 Rect. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•
 Stair Tread	Natural R10 Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•
 Step	Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•
 Corner Tile Right Left	Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •
		Left •	Left •	Left •

	Dimensione Size			
 Battiscopa - Skirting	Naturale R10 Rett. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•
	Naturale R10 Rett. 7x90 - 2 ^{3/4} "x35 ^{7/16} " Pcs. Box 8 - LM x Box 7,20	•	•	•
 Gradino - Stair Tread	Naturale R10 Rett. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•
 Gradone - Step	Naturale R10 Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•
 Angolare Dx Sx Corner Tile Right Left	Naturale R10 Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •
		Left •	Left •	Left •
 Battiscopa Scala Dx Sx Tread Skirting Right Left	Naturale R10 Rett. 7x60x60 2 ^{3/4} "x23 ^{5/8} " x23 ^{5/8} " Pcs. Box 2 - LM x Box 1,20	Right •	Right •	Right •
		Left •	Left •	Left •
 Battiscopa Scala Dx Sx Tread Skirting Right Left	Naturale R10 Rett. 7x60x60 2 ^{3/4} "x23 ^{5/8} " x23 ^{5/8} " Pcs. Box 2 - LM x Box 1,20	Right •	Right •	Right •
		Left •	Left •	Left •
 Cove Base*	Naturale R10 16x30 - 6 ^{5/16} "x11 ^{13/16} " Pcs. Box 30	•	•	•
 Cove Base Ang. Int.* Cove Base In Corner	Naturale R10 2,5x16 - 1 ^{5/16} "x6 ^{5/16} " Pcs. Box 10	•	•	•
 Cove Base Ang. Est.* Cove Base Out Corner	Naturale R10 2,5x16 - 1 ^{5/16} "x6 ^{5/16} " Pcs. Box 10	•	•	•

* Minimum order: 500 pieces/color.

° Quartz, Bright White, Beige colors available on request.

20MM TRIMS

	Dimensione Size	Grigio		Nero	
 Gradone - Step	Naturale R11 Rett. 33x60x5 12 ^{15/16} "x23 ^{5/8} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,20	•		•	
	Naturale R11 Rett. 33x90x5 12 ^{15/16} "x35 ^{7/16} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,80	•		•	
 Angolare Dx Sx Corner Tile Right Left	Naturale R11 Rett. 33x60x5 12 ^{15/16} "x23 ^{5/8} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,20	Right •	Left •	Right •	Left •
	Naturale R11 Rett. 33x90x5 12 ^{15/16} "x35 ^{7/16} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,80	Right •	Left •	Right •	Left •
 Terminale - Endingpiece	Naturale R11 Rett. 33x60x2,5 12 ^{15/16} "x23 ^{5/8} "x ^{15/16} " Pcs. Box 2 - LM x Box 1,20	•		•	
	Naturale R11 Rett. 33x90x2,5 12 ^{15/16} "x35 ^{7/16} "x ^{15/16} " Pcs. Box 2 - LM x Box 1,80	•		•	
 Ang. Terminale Dx Sx Endingpiece Corner Right Left	Naturale R11 Rett. 33x60x2,5 12 ^{15/16} "x23 ^{5/8} "x ^{15/16} " Pcs. Box 2 - LM x Box 1,20	Right •	Left •	Right •	Left •
	Naturale R11 Rett. 33x90x2,5 12 ^{15/16} "x35 ^{7/16} "x ^{15/16} " Pcs. Box 2 - LM x Box 1,80	Right •	Left •	Right •	Left •
 Gradino - Stair Tread	Naturale R11 Rett. 33x60 - 12 ^{15/16} "x23 ^{5/8} " Pcs. Box 2 - LM x Box 1,20	•		•	
	Naturale R11 Rett. 33x90 - 12 ^{15/16} "x35 ^{7/16} " Pcs. Box 2 - LM x Box 1,80	•		•	
 Alzata - Riser	Naturale R11 Rett. 16,5x60 - 6 ^{1/2} "x23 ^{5/8} " Pcs. Box 2 - LM x Box 1,20	•		•	
	Naturale R11 Rett. 16,5x90 - 6 ^{1/2} "x35 ^{7/16} " Pcs. Box 4 - LM x Box 3,60	•		•	

Quartz, Bright White, Beige 20mm trims available on request.



SLATE STONE

PACKING AND WEIGHT

Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
120x278 Natural R10	6,5	0,30	1	3,336	50,04	vedi sotto - see below		
120x120 Natural R10	6,5	0,69	2	2,880	43,20	20	57,60	864
60x120 Natural R10	6,5	1,39	3	2,160	32,40	15	32,40	486
30x60 Listelli Sfalsati Natural R10	6,5	5,56	6	1,080	16,20	30	32,40	486
120x120 Natural R10	9,5	0,69	1	1,440	31,68	36	51,84	1140
60x120 Natural R10 - Tecnica R11	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x120 Natural R10	9,5	2,78	3	1,080	23,76	48	51,84	1140
100x100 Natural R10	9	1,00	2	2,000	40,00	24	48,00	960
90x90 Natural R10	9,5	1,23	2	1,620	35,64	24	38,88	855
45x90 Natural R10	9,5	2,47	3	1,215	26,73	32	38,88	855
60x60 Natural R10	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60 Natural R10	9,5	5,56	6	1,080	23,76	48	51,84	1140
10x30 Natural R10	9,5	33,33	25	0,750	16,50	72	54,00	1188
30x60 Listelli Sfalsati Natural R10	9,5	5,56	4	0,720	15,80	30	21,60	474
30x30 Mosaico Natural R10	9,5	11,11	5	0,450	8,73	60	27,00	524
60x120 20MM Natural R11	20	1,39	1	0,720	33,12	36	25,92	1192
45x90 20MM Natural R11	20	2,47	2	0,810	37,26	24	19,44	894
60x60 20MM Natural R11	20	2,78	2	0,720	33,12	32	23,04	1060

Slabs 120x278

Item	Size cm	No. of Slabs	Sqm per Pack	Weight of Packaging Kg	Weight of Packaging + Slabs Kg
 Crate	137x292x29h	5	16,68	107	357,20
	137x292x42h	18	60,05	143	1043,72
 A-Frame	75x290x160h	40	133,44	180	2181,60



SLATE STONE



Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL
ANSI A137.1 - CLASS P1


TECHNICAL FEATURES	STANDARD	VALUE		
 WATER ABSORPTION	UNI EN ISO 10545/3	Compliant		
	ASTM C373	Compliant		
 MODULUS OF RUPTURE	SPESSORE	6,5 mm	9 /9,5 mm	20MM
	UNI EN ISO 10545/4	$\geq 35 \text{ N/mm}^2$	$\geq 45 \text{ N/mm}^2$	$\geq 45 \text{ N/mm}^2$
BREAKING STRENGTH	UNI EN ISO 10545/4	$\geq 700 \text{ N}$	$\geq 2000 \text{ N}$	$\geq 12000 \text{ N}$
	ASTM C648	$\geq 175 \text{ lbs}$	$\geq 400 \text{ lbs}$	$\geq 2500 \text{ lbs}$
 FROST RESISTANCE	UNI EN ISO 10545/12	Compliant		
	ASTM C1026	Unaffected		
 CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A - LA - HA		
	ASTM C-650	Unaffected		
 STAIN RESISTANCE	UNI EN ISO 10545/14	5		
	ASTM C1378	Class A		
 SLIP RESISTANCE		NATURAL	TECNICA / 20MM	
	DIN EN 16165 Annex B	R10	R11	
	DIN EN 16165 Annex A	B (A+B)	C (A+B+C)	
	ANSI A326.3:2017 DCOF	WET $\geq 0,50$	WET $\geq 0,65$	
	B.C.R.A. D.M. N. 236 14/6/89	$> 0,40$	$> 0,40$	
	AS 4586-2013 Anexo A	P3	P4	
	BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	> 36 Low Slip potential	> 36 Low Slip potential	
	UNE 41901:2017 EX DB SUA (actual)	2	3	



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
ULCOM/GG
UL 2818



放射性水平A类



Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com



SLATE STONE

SASSO