

A modern interior space featuring a large, curved reception desk with a white, segmented front and a dark wood top. The desk is illuminated from below. To the right, there is a glass-enclosed elevator and a glass door, both with frosted glass panels. A large, cylindrical pillar stands near the elevator. The floor is made of large, light-colored stone tiles with a subtle pattern. A glass railing with a wooden handrail runs along the upper level. The ceiling has recessed lighting and a modern, geometric light fixture is visible in the top left corner.

STONE DESIGN

SASSO

SABBIA Sand Blasted R11
60x120-23^{5/8}"x47^{1/4}" Rect.

SABBIA Vein Cut
60x120-23^{5/8}"x47^{1/4}" Natural R10 Rect.







ALABASTER Cross Cut 60x120-23⁵/₈"x47¹/₄" Lappato Rect.



GRIGIO Vein Cut 20x120-7⁷/₈"x47¹/₄" Natural R10 Rect.








STONE DESIGN

SIZES



VEIN CUT Natural R10 Rect.


Sabbia
Alabaster
Greige
Grigio
Anthracite

SAND BLASTED R11 Rect.

Sabbia
Alabaster
Greige
Grigio
Anthracite


VEIN CUT Lappato Rect.

Alabaster



VEIN CUT Natural R10 Rect.

Sabbia
Alabaster
Greige
Grigio
Anthracite



VEIN CUT Natural R10 Rect.

Sabbia
Alabaster
Greige
Grigio
Anthracite


SAND BLASTED R11 Rect.

Sabbia
Alabaster
Greige
Grigio
Anthracite


DECORS

MOSAICO VEIN CUT NATURAL R10*


Tessera - Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"
Sabbia




30x30 - 11^{13/16}"x11^{13/16}"
Alabaster



30x30 - 11^{13/16}"x11^{13/16}"
Greige



30x30 - 11^{13/16}"x11^{13/16}"
Grigio



30x30 - 11^{13/16}"x11^{13/16}"
Anthracite



Laying with a 2 mm-joint is recommended.

* On fibre mesh backing



STONE DESIGN

TRIMS

	Size					
		Sabbia	Alabaster	Greige	Grigio	Anthracite
 Stair Tread	Vein Cut Nat. R10 Rect. 33x60 - 12 ^{5/16} "x23 ^{5/8} " Pcs. Box. 6 - LM x Box 3,60	•	•	•	•	•
	Sand Blasted R11 Rect. 30x33 - 11 ^{13/16} "x12 ^{15/16} " Pcs. Box. 9 - LM x Box 2,70	•	•	•	•	•
 Step	Vein Cut Nat. R10 Rect. 33x60x3,2x3,2 12 ^{15/16} "x23 ^{5/8} " x1 ^{1/4} " x1 ^{1/4} " Pcs. Box. 4 - LM x Box 2,40	•	•	•	•	•
 Corner Tile Right Left	Vein Cut Nat. R10 Rect. 33x33x3,2x3,2 12 ^{15/16} "x12 ^{15/16} "x1 ^{1/4} " x1 ^{1/4} " Pcs. Box. 2 - LM x Box 0,66	Right •	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •	Left •
 L Shaped Piece	Sand Blasted R11 Rect. 15x60x4,5 5 ^{7/8} "x23 ^{5/8} "x1 ^{3/4} " Pcs. Box 4 - LM x Box 2,40	•	•	•	•	•
 Cove Base*	Natural R10 16x30 - 6 ^{5/16} "x11 ^{13/16} " Pcs. Box 30	•	•	•	•	•
 Cove Base In Corner*	Natural R10 2,5x16 - 15 ^{1/16} "x6 ^{5/16} " Pcs. Box 10	•	•	•	•	•
 Cove Base Out Corner*	Natural R10 2,5x16 - 15 ^{1/16} "x6 ^{5/16} " Pcs. Box 10	•	•	•	•	•

* Minimum order: 500 pieces



STONE DESIGN

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL
ANSI A137.1 - CLASS P1



TECHNICAL FEATURES		STANDARD	VALUE		
	WATER ABSORPTION	UNI EN ISO 10545/3	Compliant		
		ASTM C373	Compliant		
	MODULUS OF RUPTURE	SPESSORE	9,5 mm		
	BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 45 N/mm ²		
		ASTM C648	≥ 400 lbs		
	FROST RESISTANCE	UNI EN ISO 10545/12	Compliant		
		ASTM C1026	Unaffected		
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A - LA - HA		
		ASTM C-650	Unaffected		
	STAIN RESISTANCE	UNI EN ISO 10545/14	5		
		ASTM C1378	Class A		
	SLIP RESISTANCE		NATURAL	LAPPATO	SAND BLASTED
		DIN EN 16165 Annex B	R10	-	R11
		DIN EN 16165 Annex A	B (A+B)	-	C (A+B+C)
		ANSI A326.3:2017 DCOF	WET ≥ 0,50	-	WET ≥ 0,65
		B.C.R.A. D.M. N. 236 14/6/89	> 0,40	-	> 0,40
		AS 4586-2013 Anexo A	P2	-	P3
		BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	< 36 Moderate Slip Potential	-	> 36 Low Slip potential
		UNE 41901:2017 EX DB SUA (actual)	-	-	3




PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
ULCOM/CG
UL 2818



放射性水平A类



15% 9,5 mm
average values



Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
60x120 Natural R10 - Lappato - Sand Blasted R11	9,5	1,39	2	1,440	31,68	36	51,84	1140
20x120 Natural R10	9,5	4,17	4	0,960	21,12	40	38,40	845
60x60 Natural R10	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60 Natural R10 - Lappato - Sand Blasted R11	9,5	5,56	6	1,080	23,76	48	51,84	1140
30x60 Listelli sfalsati Natural R10	9,5	5,56	4	0,720	15,80	30	21,60	474
30x30 Mosaico Natural R10	9,5	11,11	5	0,450	8,73	60	27,00	524

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com



GRIGIO Vein Cut 60x120-23^{5/8}"x47^{1/4}" Natural R10 Rect.



STONE DESIGN

SASSO