

STONE EXPRESSION



SASSO





Anthracite Minimo Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Anthracite Fluida Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Anthracite Graffiato Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"



STONE EXPRESSION

COLORS AND SIZES

Taupe Minimo



Chiaro Minimo



Bianco Minimo



Grigio Minimo



Anthracite Minimo




Laying with a 2 mm-joint is recommended.



STONE EXPRESSION

COLORS AND SIZES

 **9,5 mm. MINIMO**



Natural R10 Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

Tecnica R11 Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

Lappato Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Taupe

Chiaro

Bianco

Grigio

Anthracite



Natural R10 Rect.

60x60 - 23^{5/8}"x23^{5/8}"

Taupe

Chiaro

Bianco

Grigio

Anthracite



Natural R10 Rect.

30x60 - 11^{13/16}"x23^{5/8}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

Tecnica R11 Rect.

30x60 - 11^{13/16}"x23^{5/8}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

20MM MINIMO



Natural R11 Rect.

60x60 - 23^{5/8}"x23^{5/8}"

Chiaro

Grigio

Anthracite

* **Minimo 30x60 Lapp. Rect.** Available on request. 1000 Sqm minimum lot.

Minimo 15x120, 20x120, 30x120 available on request. 8 weeks delivery.

Check the color matching between different sizes.



STONE EXPRESSION

COLORS AND SIZES

Taupe Fluida



Chiaro Fluida



Bianco Fluida



Grigio Fluida



Anthracite Fluida




Laying with a 2 mm-joint is recommended.



STONE EXPRESSION

COLORS AND SIZES

▼
▲ 9,5 mm. FLUIDA



Natural R10 Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

Tecnica R11 Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Taupe

Chiaro

Bianco

Grigio

Anthracite



Natural R10 Rect.

30x60 - 11^{13/16}"x23^{5/8}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

Tecnica R11 Rect.

30x60 - 11^{13/16}"x23^{5/8}"

Taupe

Chiaro

Bianco

Grigio

Anthracite

Check the color matching between different sizes.



STONE EXPRESSION

COLORS AND SIZES

Taupe Graffiato



Chiaro Graffiato



Bianco Graffiato



Grigio Graffiato



Anthracite Graffiato




Laying with a 2 mm-joint is recommended.



STONE EXPRESSION

COLORS AND SIZES

9,5 mm. GRAFFIATO



Natural R10 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
Taupe
Chiaro
Bianco
Grigio
Anthracite



Natural R10 Rect.
30x120 - 11^{13/16}"x47^{1/4}"
Taupe
Chiaro
Bianco
Grigio
Anthracite



Natural R10 Rect.
30x60 - 11^{13/16}"x23^{5/8}"
Taupe
Chiaro
Bianco
Grigio
Anthracite

Check the color matching between different sizes.



Taupe Fluida Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Chiaro Graffiato Natural R10 Rect. 30x60 - 11^{13/16}"x23^{5/8}"
Taupe Minimo Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Taupe Minimo Natural R10 Rect. 30x60 - 11^{13/16}"x23^{5/8}"
Taupe Mosaico Dado Natural R10 30x30 - 11^{13/16}"x11^{13/16}"




STONE EXPRESSION

DECORS

MOSAICO DADO MINIMO* Natural R10

Tessera - Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"




30x30 - 11^{13/16}"x11^{13/16}"
Taupe




30x30 - 11^{13/16}"x11^{13/16}"
Chiaro



30x30 - 11^{13/16}"x11^{13/16}"
Bianco



30x30 - 11^{13/16}"x11^{13/16}"
Grigio




30x30 - 11^{13/16}"x11^{13/16}"
Anthracite


LISTELLI SFALSATI MINIMO* Natural R10



30x60 - 11^{13/16}"x23^{5/8}"
Taupe



30x60 - 11^{13/16}"x23^{5/8}"
Chiaro



30x60 - 11^{13/16}"x23^{5/8}"
Bianco



30x60 - 11^{13/16}"x23^{5/8}"
Grigio



30x60 - 11^{13/16}"x23^{5/8}"
Anthracite

* On fibre mesh backing.




STONE EXPRESSION

DECORS

MOSAICO DADO FLUIDA* Natural R10

Tessera - Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"




30x30 - 11^{13/16}"x11^{13/16}"
Taupe




30x30 - 11^{13/16}"x11^{13/16}"
Chiaro



30x30 - 11^{13/16}"x11^{13/16}"
Bianco




30x30 - 11^{13/16}"x11^{13/16}"
Grigio




30x30 - 11^{13/16}"x11^{13/16}"
Anthracite

LISTELLI SFALSATI FLUIDA* Natural R10




30x60 - 11^{13/16}"x23^{5/8}"
Taupe




30x60 - 11^{13/16}"x23^{5/8}"
Chiaro



30x60 - 11^{13/16}"x23^{5/8}"
Bianco



30x60 - 11^{13/16}"x23^{5/8}"
Grigio




30x60 - 11^{13/16}"x23^{5/8}"
Anthracite

* On fibre mesh backing.



STONE EXPRESSION



TRIMS

	Size					
		Taupe	Chiaro	Bianco	Grigio	Anthracite
 Skirting	Minimo Natural R10 Rect. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•	•
	Fluida Natural R10 Rect. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•	•
	Graffiato Natural R10 Rect. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•	•
	Minimo Natural R10 Rect. 4,6x90 - 1 ^{13/16} "x35 ^{7/16} " Pcs. Box 8 - LM x Box 7,20	-	-	•	-	-
 Stair Tread	Minimo Natural R10 Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Minimo Lapp. Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Minimo Tecnica R11 Rett.* 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Fluida Natural R10 Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Fluida Tecnica R11 Rett.* 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Graffiato Natural R10 Rect. 33x120 - 12 ^{15/16} "x47 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Step	Minimo Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Fluida Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Graffiato Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Corner Tile R L	Minimo Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •	Left •
	Fluida Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •	Left •
	Graffiato Natural R10 Rect. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •	Left •



STONE EXPRESSION

20MM TRIMS

	Size						
		Chiaro		Grigio		Anthracite	
 Step	Minimo Natural R11 Rect. 33x60x5 12 ^{15/16} "x23 ^{5/8} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,20	•		•		•	
 Corner Tile R L	Minimo Natural R11 Rect. 33x60x5 12 ^{15/16} "x23 ^{5/8} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,20	Right •	Left •	Right •	Left •	Right •	Left •
 Endingpiece	Minimo Natural R11 Rect. 33x60x2,5 12 ^{15/16} "x23 ^{5/8} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,20	•		•		•	
 Endingpiece Corner R L	Minimo Natural R11 Rect. 33x60x2,5 12 ^{15/16} "x23 ^{5/8} "x1 ^{15/16} " Pcs. Box 2 - LM x Box 1,20	Right •	Left •	Right •	Left •	Right •	Left •
 Stair Tread	Minimo Natural R11 Rect. 33x60 - 12 ^{15/16} "x23 ^{5/8} " Pcs. Box 2 - LM x Box 1,20	•		•		•	
 Riser	Minimo Natural R11 Rect. 16,5x60 - 6 ^{1/2} "x23 ^{5/8} " Pcs. Box 2 - LM x Box 1,20	•		•		•	



STONE EXPRESSION

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL
ANSI A137.1 - CLASS P1



TECHNICAL FEATURES		STANDARD	VALUE		
	WATER ABSORPTION	UNI EN ISO 10545/3	Conforme		
		ASTM C373	Compliant		
	MODULUS OF RUPTURE	THICKNESS	9,5 mm	20MM	
		UNI EN ISO 10545/4	≥ 45 N/mm²	≥ 45 N/mm²	
	BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 2000 N	≥ 12000 N	
		ASTM C648	≥ 400 lbs	≥ 2500 lbs	
	FROST RESISTANCE	UNI EN ISO 10545/12	Conforme		
		ASTM C1026	Unaffected		
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A - LA - HA		
		ASTM C-650	Unaffected		
	STAIN RESISTANCE	UNI EN ISO 10545/14	5		
		ASTM C1378	Class A		
	SLIP RESISTANCE		NATURAL	LAPP.	TECNICA / 20MM
		DIN EN 16165 Annex B	R10	-	R11
		DIN EN 16165 Annex A	B (A+B)	-	C (A+B+C)
		ANSI A326.3:2017 DCOF	WET ≥ 0,50	-	WET ≥ 0,65
		B.C.R.A. D.M. N. 236 14/6/89	> 0,40	-	> 0,40
		AS 4586-2013 Anexo A	P2	-	P4
		BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	< 36 Moderate Slip Potential	-	> 36 Low Slip Potential
		UNE 41901:2017 EX DB SUA (actual)	-	-	3



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL COM/GG UL 2818



放射性水平A类



25% 20MM
15% 9,5 mm

valori medi - average values



SHADE VARIATION
[V3] High

PACKING AND WEIGHT

Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
60x120 Natural R10 - Lappato - Tecnica R11	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x120 Natural R10	9,5	2,78	3	1,080	23,76	48	51,84	1140
60x60 Natural R10	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60 Natural R10 - Lappato - Tecnica R11	9,5	5,56	6	1,080	23,76	48	51,84	1140
30x60 Listelli Sfalsati Natural R10	9,5	5,56	4	0,720	15,80	30	21,60	474
30x30 Mosaico Dado Natural R10	9,5	11,11	5	0,450	8,73	60	27,00	524
60x60 20MM Natural R11	20	2,78	2	0,720	33,12	32	23,04	1060

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com



Grigio Fluida Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Grigio Graffiato Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"

STONE EXPRESSION



SASSO