



TRAV STONE

SASSO





Cross Cut White Natural R10 Rect. 120x278 - 47^{1/4}"x109^{7/16}"
Vein Cut White Natural R10 Rect. 90x180 - 35^{7/16}"x70^{7/8}"





Vein Cut Beige Natural R10 Rect. 120x278 - 47^{1/4}"x109^{7/16}"
Lines Beige Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Vein Cut Beige Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"
Cross Cut Beige Natural R10 Rect. 60x120 - 23^{5/8}"x47^{1/4}"



TRAV STONE

VEIN CUT

**Vein Cut
Beige**



 **6,5 mm.**

Natural R10 Rect.

120x278 - 47^{1/4}"x109^{7/16}"

Beige

White

Light Grey

5 patterns

**Vein Cut
White**



 **9 mm.**

Natural R10 Rect.

90x180 - 35^{7/16}"x70^{7/8}"


Beige

White

Light Grey

10 patterns

**Vein Cut
Light Grey**



Natural R10 Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Beige

White

Light Grey

Greige

Dark Grey

up to 20 patterns

Bocciardato R11 Rect.

60x120 - 23^{5/8}"x47^{1/4}"

Beige

White

Light Grey

up to 16 patterns

**Vein Cut
Greige**



Natural R10 Rect.

30x60 - 11^{13/16}"x23^{5/8}"

Beige

White

Light Grey

Greige

Dark Grey

up to 40 patterns

**Vein Cut
Dark Grey**


Laying with a 2 mm-joint is recommended.
Check the colour matching between different sizes.



TRAV STONE

CROSS CUT


6,5 mm.



Natural R10 Rect.
120x278 - 47^{1/4}"x109^{7/16}"
Beige
White
Light Grey
4 patterns

Cross Cut
Beige

9 mm.



Natural R10 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
Beige
White
Light Grey
Greige
Dark Grey
8 patterns

Bocciardato R11 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
Beige
White
Light Grey
8 patterns

Cross Cut
White



Natural R10 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
Beige
White
Light Grey
Greige
Dark Grey
up to 18 patterns

Bocciardato R11 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
Beige
White
Light Grey
up to 16 patterns

Cross Cut
Light Grey



Natural R10 Rect.
80x80 - 31^{1/2}"x31^{1/2}"
Beige
White
Light Grey
16 patterns




Natural R10 Rect.
60x60 - 23^{5/8}"x23^{5/8}"
Beige
White
Light Grey
Greige
Dark Grey
up to 36 patterns



Natural R10 Rect.
30x60 - 11^{13/16}"x23^{5/8}"
Beige
White
Light Grey
Greige
Dark Grey
up to 72 patterns

Cross Cut
Greige

20MM



Natural R11 Rect.
120x120 - 47^{1/4}"x47^{1/4}"
Beige
Light Grey
8 patterns




Natural R11 Rect.
60x120 - 23^{5/8}"x47^{1/4}"
Beige
Greige
Dark Grey
up to 15 patterns

Cross Cut
Dark Grey



TRAV STONE

DECORO LINES Natural R10 Rect.




30x60 - 11^{13/16}"x23^{5/8}"

Beige

60x120 - 23^{5/8}"x47^{1/4}"

Beige




30x60 - 11^{13/16}"x23^{5/8}"

EMJL White

60x120 - 23^{5/8}"x47^{1/4}"

White




30x60 - 11^{13/16}"x23^{5/8}"

Light Grey

60x120 - 23^{5/8}"x47^{1/4}"

Light Grey



30x60 - 11^{13/16}"x23^{5/8}"

Greige

60x120 - 23^{5/8}"x47^{1/4}"

Greige



30x60 - 11^{13/16}"x23^{5/8}"

Dark Grey

60x120 - 23^{5/8}"x47^{1/4}"

Dark Grey



TRAV STONE

MOSAICO WALLCUT* CROSS CUT Natural R10



19,4x29,9 - 7⁵/₈"x11³/₄"
Beige
4 sogg. random



19,4x29,9 - 7⁵/₈"x11³/₄"
White
4 sogg. random



19,4x29,9 - 7⁵/₈"x11³/₄"
Light Grey
4 sogg. random



19,4x29,9 - 7⁵/₈"x11³/₄"
Greige
4 sogg. random




19,4x29,9 - 7⁵/₈"x11³/₄"
Dark Grey
4 sogg. random

MOSAICO 5X5* CROSS CUT Natural R10

Tessera - Chip 4,8x4,8 - 1⁷/₈"x1⁷/₈"




30x30 - 11¹³/₁₆"x11¹³/₁₆"
Beige



30x30 - 11¹³/₁₆"x11¹³/₁₆"
White



30x30 - 11¹³/₁₆"x11¹³/₁₆"
Light Grey



30x30 - 11¹³/₁₆"x11¹³/₁₆"
Greige




30x30 - 11¹³/₁₆"x11¹³/₁₆"
Dark Grey

MOSAICO 5X5* VEIN CUT Natural R10


Tessera - Chip 4,8x4,8 - 1⁷/₈"x1⁷/₈"



30x30 - 11¹³/₁₆"x11¹³/₁₆"
Beige



30x30 - 11¹³/₁₆"x11¹³/₁₆"
White



30x30 - 11¹³/₁₆"x11¹³/₁₆"
Light Grey



30x30 - 11¹³/₁₆"x11¹³/₁₆"
Greige



30x30 - 11¹³/₁₆"x11¹³/₁₆"
Dark Grey

* On fibre mesh backing



TRAV STONE

VEIN CUT	Size					
		Beige	White	Light Grey	Greige	Dark Grey
 Skirting	Natural R10 Rect. 7x60 - 2 ^{3/4"} x23 ^{5/8"} Pcs. Box 16 - LM x Box 9,60	•	•	•	•	•
	Natural R10 Rect. 4,6x120 - 1 ^{3/16"} x47 ^{1/4"} Pcs. Box 6 - LM x Box 7,20	•	•	•	•	•
 Stair Tread	Natural R10 Rect. 33x120 - 12 ^{15/16"} x47 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Step	Natural R10 Rect. 33x120x3,2x3,2 - 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Corner Tile Right Left	Natural R10 Rect. 33x120x3,2x3,2 - 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 1 - LM x Box 1,20	Dx- Right •	Dx- Right •	Dx- Right •	Dx- Right •	Dx- Right •
		Sx - Left •	Sx - Left •	Sx - Left •	Sx - Left •	Sx - Left •

CROSS CUT	Size					
		Beige	White	Light Grey	Greige	Dark Grey
 Skirting	Natural R10 Rect. 7x60 - 2 ^{3/4"} x23 ^{5/8"} Pcs. Box 16 - LM x Box 9,60	•	•	•	•	•
	Natural R10 Rect. 4,6x120 - 1 ^{3/16"} x47 ^{1/4"} Pcs. Box 6 - LM x Box 7,20	•	•	•	•	•
 Stair Tread	Natural R10 Rect. 33x120 - 12 ^{15/16"} x47 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Step	Natural R10 Rect. 33x120x3,2x3,2 - 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Corner Tile Right Left	Natural R10 Rect. 33x120x3,2x3,2 - 12 ^{15/16"} x47 ^{1/4"} x1 ^{1/4"} x1 ^{1/4"} Pcs. Box 1 - LM x Box 1,20	Dx- Right •	Dx- Right •	Dx- Right •	Dx- Right •	Dx- Right •
		Sx - Left •	Sx - Left •	Sx - Left •	Sx - Left •	Sx - Left •

20mm trims available on request

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.



TRAV STONE

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL
ANSI A137.1 - CLASS P1





TECHNICAL FEATURES		STANDARD	VALUE		
	WATER ABSORPTION	UNI EN ISO 10545/3	Compliant		
		ASTM C373	Compliant		
	MODULUS OF RUPTURE	SPESSORE	6,5 mm	9 mm	20MM
	BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm ²	≥ 45 N/mm ²	≥ 45 N/mm ²
	FROST RESISTANCE	UNI EN ISO 10545/4	≥ 700 N	≥ 2000 N	≥ 12000 N
		ASTM C648	≥ 175 lbf	≥ 400 lbf	≥ 2500 lbf
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A - LA - HA		
		ASTM C-650	Unaffected		
	STAIN RESISTANCE	UNI EN ISO 10545/14	5		
		ASTM C1378	Class A		
	SLIP RESISTANCE		NATURAL	BOCCIARDATO / 20MM	
		DIN EN 16165 Annex B	R10	R11	
		DIN EN 16165 Annex A	B (A+B)	B (A+B)	
		ANSI A326.3:2017 DCOF	WET ≥ 0,50	WET ≥ 0,65	
		B.C.R.A. D.M. N. 236 14/6/89	> 0,40	> 0,40	
		AS 4586-2013 Anexo A	P2	P4	
		BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	< 36 Moderate Slip potential	> 36 Low Slip potential	
		UNE 41901:2017 EX DB SUA (actual)	-	3	



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: ULCOM/CG UL 2818



放射性水平A类



PACKING AND WEIGHT

Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
120x278 Natural R10	6,5	0,30	1	3,336	50,04	vedi sotto - see below		
90x180 Natural R10	9	0,62	2	3,240	68,04	18	58,32	1225
120x120 Natural R10 - Bocciardato R11	9	0,69	1	1,440	30,24	36	51,84	1089
60x120 Natural R10 - Bocciardato R11	9	1,39	2	1,440	30,24	36	51,84	1089
80x80 Natural R10	9	1,56	2	1,280	26,88	42	53,76	1129
60x60 Natural R10	9	2,78	3	1,080	22,68	40	43,20	907
30x60 Natural R10	9	5,56	6	1,080	22,68	48	51,84	1089
60x120 Lines Natural R10	9	1,39	2	1,440	30,24	36	51,84	1089
30x60 Lines Natural R10	9	5,56	6	1,080	22,68	48	51,84	1089
30x30 Mosaico 5X5 Natural R10	9	11,11	5	0,450	8,73	60	27,00	524
19,4x29,9 Mosaico Wallcut Natural R10	9	17,24	6	0,348	7,50	120	41,76	900
120x120 20MM Natural R11	20	0,69	1	1,44	66,24	18	25,92	1192
60x120 20MM Natural R11	20	1,39	1	0,720	33,12	36	25,92	1192

Slabs 120x278

Item	Size cm	No. of Slabs	Sqm per Pack	Weight of Packaging Kg	Weight of Packaging + Slabs Kg
	137x292x29h	5	16,68	107	357,20
	137x292x42h	18	60,05	143	1043,72
	75x290x160h	40	133,44	180	2181,60

SURFACE STATEMENTS

www.surfacestatements.com

TRAV STONE



SASSO