

STONES OF ITALY



TESORI



Quartz Full Lappato Rett. 90x180 - 35^{7/16}"x70^{7/8}"





Arabescato Full Lappato 60x120 - 23^{5/8}"X47^{1/4}" - Calabianca Full Lappato 120x278 - 47^{1/4}"X109^{7/16}"





STONES OF ITALY

COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.

Carrara



Quartz



CalaGold





STONES OF ITALY

COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.

 6,5 mm.



Full Lappato Rett.

120x278 - 47^{1/4}"x109^{7/16}"

Carrara

Quartz

CalaGold

up to 6 patterns

Bookmatch Full Lappato Rett.


120x278 - 47^{1/4}"x109^{7/16}"

Carrara

Book Match A

Carrara

Book Match B



Full Lappato Rett.

120x120 - 47^{1/4}"x47^{1/4}"

Carrara

Quartz

up to 12 patterns

Naturale R9 Rett.

120x120 - 47^{1/4}"x47^{1/4}"

Quartz

10 patterns




STONES OF ITALY


COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.

Carrara



Quartz



CalaGold






STONES OF ITALY

COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.

 10 mm.



Full Lappato Rett.

90x180 - 35^{7/16}"x70^{7/8}"

Carrara

Quartz

up to 9 patterns

Naturale R9 Rett.


90x180 - 35^{7/16}"x70^{7/8}"

Carrara

Quartz

up to 9 patterns

 9 mm.



Naturale R9 Rett.

120x120 - 47^{1/4}"x47^{1/4}"

Carrara

Quartz

up to 12 patterns



Full Lappato Rett.

60x120 - 23^{5/8}"x47^{1/4}"

Carrara

Quartz

CalaGold

up to 19 patterns

Naturale R9 Rett.


60x120 - 23^{5/8}"x47^{1/4}"

Carrara

Quartz

CalaGold

up to 19 patterns



Full Lappato Rett.

90x90 - 35^{7/16}"x35^{7/16}"

Quartz

16 patterns



Full Lappato Rett.

30x60 - 11^{13/16}"x23^{5/8}"

Carrara

Quartz

CalaGold

up to 48 patterns

Naturale R9 Rett.

30x60 - 11^{13/16}"x23^{5/8}"

Carrara

Quartz

CalaGold

up to 48 patterns



Naturale R9 Rett.

7,5x30 - 2^{15/16}"x11^{13/16}"

Carrara

Quartz

CalaGold

Battuto di listelli Full Lappato Rett.

60x120 - 23^{5/8}"x47^{1/4}"

Carrara

8 patterns




Seminato di tessere Full Lappato Rett.

60x120 - 23^{5/8}"x47^{1/4}"

Carrara

8 patterns






STONES OF ITALY

COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.

Calabianca



Arabescato





STONES OF ITALY

COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.

 **6,5 mm.**




Full Lappato Rett.

120x278 - 47^{1/4}"x109^{7/16}"

Calabianca

6 patterns

 **10 mm.**



Full Lappato Rett.

90x180 - 35^{7/16}"x70^{7/8}"

Calabianca

7 patterns

Naturale R9 Rett.

90x180 - 35^{7/16}"x70^{7/8}"

Calabianca

7 patterns

 **9,5 mm.**



Full Lappato Rett.

90x90 - 35^{7/16}"x35^{7/16}"

Calabianca

12 patterns



Full Lappato Rett.

30x60 - 11^{13/16}"x23^{5/8}"

Calabianca

64 patterns

Naturale R9 Rett.

30x60 - 11^{13/16}"x23^{5/8}"

Calabianca

52 patterns



Full Lappato Rett.

60x120 - 23^{5/8}"x47^{1/4}"

Calabianca

Arabescato

up to 17 patterns

Naturale R9 Rett.

60x120 - 23^{5/8}"x47^{1/4}"

Calabianca

Arabescato

up to 16 patterns



STONES OF ITALY

MOSAICS

TRAMA*



31,9x28,3 - 12^{9/16}"x11^{1/8}"
Carrara Full Lappato

INTRECCI*




30x30 - 11^{13/16}"x11^{13/16}"
Carrara Full Lapp.
Quartz Full Lapp.
CalaGold Full Lapp.
Calabianca Full Lapp.
Arabescato Full Lapp.

Carrara Nat. R9
Quartz Nat. R9
CalaGold Nat. R9
Calabianca Nat. R9
Arabescato Nat. R9

MOSAICO 3X3*

Tessera - Chip 2,8x2,8 - 1^{1/8}"x1^{1/8}"



30x30 - 11^{13/16}"x11^{13/16}"
Carrara Full Lapp.
Quartz Full Lapp.
CalaGold Full Lapp.
Calabianca Full Lapp.
Arabescato Full Lapp.

Carrara Nat. R9
Quartz Nat. R9
CalaGold Nat. R9
Calabianca Nat. R9
Arabescato Nat. R9

MOSAICO 5X5*

Tessera - Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"



30x30 - 11^{13/16}"x11^{13/16}"
Carrara Full Lapp.
Quartz Full Lapp.
CalaGold Full Lapp.
Calabianca Full Lapp.
Arabescato Full Lapp.

Carrara Nat. R9
Quartz Nat. R9
CalaGold Nat. R9
Calabianca Nat. R9
Arabescato Nat. R9

* On fibre mesh backing

TRIMS	Size					
 Skirting	Naturale R9 Rett. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•	•
	Full Lappato Rett. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•	•
	Full Lappato Rett. 4,6x90 - 1 ^{13/16} "x35 ^{7/16} " Pcs. Box 8 - LM x Box 7,20		•		•	
 Step	Naturale R9 Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
	Full Lappato Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•	•
 Corner Tile Right Left	Naturale R9 Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •	Left •
	Full Lappato Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •	Left •
 Bullnose	Naturale R9 Rett. 15x15 - 5 ^{7/8} "x5 ^{7/8} " Pcs. Box 16	•	•	•		
 Double Bullnose	Naturale R9 Rett. 15x15 - 5 ^{7/8} "x5 ^{7/8} " Pcs. Box 4	•	•	•		





Bianco Onyx Full Lappato Rett. 120x120 - 47^{1/4}"x47^{1/4}"
Nero Onyx Full Lappato Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Rosa Onyx - Nero Onyx Full Lappato Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Nero Onyx Full Lappato Rett. 120x278 - 47^{1/4}"x109^{7/16}" Bianco Onyx Full Lappato Rett. 120x278 - 47^{1/4}"x109^{7/16}"






STONES OF ITALY

COLORS AND SIZES

Laying with a 2 mm-joint is recommended.- Check the colour matching between different sizes.


Bianco Onyx




Rosa Onyx



Verdi Onyx



Nero Onyx



Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.
Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.



STONES OF ITALY


COLORS AND SIZES

Laying with a 2 mm-joint is recommended. - Check the colour matching between different sizes.

 **6,5 mm.**




Full Lappato Rett.
120x278 - 47^{1/4}"x109^{7/16}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 6 patterns



Full Lappato Rett.
120x120 - 47^{1/4}"x47^{1/4}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 12 patterns

 **10 mm.**




Full Lappato Rett.
90x180 - 35^{7/16}"x70^{7/8}"
Bianco Onyx
10 patterns

 **9,5 mm.**



Full Lappato Rett.
60x120 - 23^{5/8}"x47^{1/4}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 20 patterns

Silktech R10 Rett.
60x120 - 23^{5/8}"x47^{1/4}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 19 patterns



Full Lappato Rett.
90x90 - 35^{7/16}"x35^{7/16}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 19 patterns



Full Lappato Rett.
30x60 - 11^{13/16}"x23^{5/8}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 68 patterns

Silktech R10 Rett.
30x60 - 11^{13/16}"x23^{5/8}"
Bianco Onyx
Rosa Onyx
Verdi Onyx
Nero Onyx
up to 64 patterns

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.
Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.
Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.




STONES OF ITALY

MOSAICS

MOSAICO 3X3*


Tessera - Chip 2,8x2,8 - 1^{1/8}"x1^{1/8}"




30x30 - 11^{13/16}"x11^{13/16}"
Bianco Onyx Full Lapp.
Bianco Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Rosa Onyx Full Lapp.
Rosa Onyx Silktech R10




30x30 - 11^{13/16}"x11^{13/16}"
Verdi Onyx Full Lapp.
Verdi Onyx Silktech R10




30x30 - 11^{13/16}"x11^{13/16}"
Nero Onyx Full Lapp.
Nero Onyx Silktech R10

MOSAICO 5X5*


Tessera - Chip 4,8x4,8 - 1^{7/8}"x1^{7/8}"




30x30 - 11^{13/16}"x11^{13/16}"
Bianco Onyx Full Lapp.
Bianco Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Rosa Onyx Full Lapp.
Rosa Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Verdi Onyx Full Lapp.
Verdi Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Nero Onyx Full Lapp.
Nero Onyx Silktech R10

● A90
● A86

* On fibre mesh backing



STONES OF ITALY

MOSAICS

INTRECCI*




30x30 - 11^{13/16}"x11^{13/16}"
Bianco Onyx Full Lapp.
Bianco Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Rosa Onyx Full Lapp.
Rosa Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Verdi Onyx Full Lapp.
Verdi Onyx Silktech R10



30x30 - 11^{13/16}"x11^{13/16}"
Nero Onyx Full Lapp.
Nero Onyx Silktech R10

* On fibre mesh backing

TRIMS

TRIMS	Size				
		Bianco Onyx	Rosa Onyx	Verdi Onyx	Nero Onyx
 Battiscopa - Skirting	Silktech R10 Rett. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•
	Full Lappato Rett. 7x60 - 2 ^{3/4} "x23 ^{5/8} " Pcs. Box 15 - LM x Box 9,00	•	•	•	•
	Full Lappato Rett. 4,6x90 - 1 ^{13/16} "x35 ^{7/16} " Pcs. Box 8 - LM x Box 7,20	•	•	•	•
 Gradone - Step	Silktech R10 Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•
	Full Lappato Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 2 - LM x Box 2,40	•	•	•	•
 Angolare Dx Sx Corner Tile Right Left	Silktech R10 Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •
	Full Lappato Rett. 33x120x3,2x3,2 12 ^{15/16} "x47 ^{1/4} "x1 ^{1/4} "x1 ^{1/4} " Pcs. Box 1 - LM x Box 1,20	Right •	Right •	Right •	Right •
		Left •	Left •	Left •	Left •




STONES OF ITALY

PACKING AND WEIGHT

Size cm	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
120x278 Full Lappato	6,5	0,30	1	3,336	50,04	vedi sotto - see below		
120x120 Naturale R9 - Full Lappato	6,5	0,69	2	2,880	43,20	20	57,60	864
90x180 Naturale R9 - Full Lappato	10	0,62	2	3,240	74,52	18	58,32	1341
90x90 Full Lappato	9,5	1,23	2	1,620	35,64	24	38,88	855
120x120 Naturale R9	9,5	0,69	1	1,440	31,68	36	51,84	1140
60x120 Silktech R10 - Naturale R9 - Full Lappato	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x60 Silktech R10 - Naturale R9 - Full Lappato	9,5	5,56	6	1,080	23,76	48	51,84	1140
7,5x30 Naturale R9	9,5	44,44	36	0,810	17,82	56	45,36	998
31,9x28,3 Trama Full Lappato	9,5	11,08	5	0,450	9,90	60	27,00	594
30x30 Mosaico 5X5 Silktech R10 - Naturale R9 - Full Lappato	9,5	11,11	5	0,450	8,73	60	27,00	524
30x30 Mosaico 3X3 Silktech R10 - Naturale R9 - Full Lappato	9,5	11,11	5	0,450	8,73	60	27,00	524
30x30 Intrecci Silktech R10 - Naturale R9 - Full Lappato	9,5	11,11	5	0,450	8,73	60	27,00	524

Slabs 120x278

Item	Size (cm)	No. of Slabs	m ² / Emballage	Weight of Packaging (kg)	Weight of Packaging + Slabs (kg)
 Crate	137x292x29h	5	16,68	107	357,20
	137x292x42h	18	60,05	145	1045,72
 A-Frame	75x290x160h	40	133,44	180	2181,60



STONES OF ITALY

Porcelain Tiles

ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL

ANSI A137.1 - CLASS P1



TECHNICAL FEATURES		STANDARD	VALUE		
	WATER ABSORPTION	UNI EN ISO 10545/3	Compliant		
		ASTM C373	Compliant		
	MODULUS OF RUPTURE	SPESSORE	6,5 mm	9 / 9,5 / 10 mm	
	BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 45 N/mm²	
		UNI EN ISO 10545/4	≥ 700 N	≥ 2000 N	
		ASTM C648	≥ 175 lbf	≥ 400 lbf	
		FROST RESISTANCE	UNI EN ISO 10545/12	Compliant	
		ASTM C1026	Unaffected		
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A - LA - HA		
		ASTM C-650	Unaffected		
	STAIN RESISTANCE	UNI EN ISO 10545/14	5		
		ASTM C1378	Class A		
	SLIP RESISTANCE		NATURALE	SILKTECH	FULL LAPPATO
		DIN EN 16165 Annex B	R9	R10	-
		DIN EN 16165 Annex A	-	B (A+B)	-
		ANSI A326.3:2017 DCOF	WET ≥ 0,42	WET ≥ 0,50	-
		B.C.R.A. D.M. N. 236 14/6/89	> 0,40	> 0,40	-
		AS 4586-2013 Anexo A	-	P3	-
		BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	-	> 36 Low Slip potential	-
		UNE 41901:2017 EX DB SUA (actual)	-	2	-



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
ULCOM/GG
UL 2818



120x278




放射性水平A类



15% 9 / 9,5 / 10 mm
0% 6,5 mm

valori medi - average values




Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com

STONES OF ITALY



TESORI