

CLEFT STONE



USONIAN



Gray 11^{13/16"}x23^{5/8"} - Freccia Mosaic Gray 14^{9/16"}x16^{1/8"}





CLEFT STONE

colorbody fine porcelain stoneware - rectified monocaliber




White




11¹³/₁₆" x 23⁵/₈"
± 8.5 mm

Mosaic



11¹³/₁₆" x 11¹³/₁₆"
± 8.5 mm

Freccia Mosaic



14⁹/₁₆" x 16¹/₈"
± 9.5 mm

TECH INFO

COLOUR VARIATIONS



V3

Significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material.

DECORATIVE PIECES

3D

Digital technology and high-definition tactile structure

Mosaic

Mosaic mesh – mounted on fibreglass

TRIMS

Bullnose

Coved Edge Skirting Tile cut from plain tile

PERFORMANCE CHARACTERISTICS	STANDARD	TEST RESULT
Water Absorption	ASTM C373	≤ 0,5
Breaking Strength	ASTM C648 UNI EN ISO 10545/4	≥ 250 lbs ≥ 1300 N
Frost Resistance	ASTM C1026	Resistant
Chemical Resistance	ASTM C650	Resistant
Stain Resistance	UNI 10545-14	Class 5
Slip Resistance	DIN EN 16165 Annex B	R9
	DIN EN 16165 Annex A	-
	ANSI A326.3-2017 DCOF	WET ≥ 0.42

INTENDED USE

H Materials recommended for relatively heavy abrasion levels, also in premises not protected against abrasive substances

PACKING AND WEIGHT

		box			pallet			± mm
		□	SQF	LBS	□	SQF	LBS	
11 ¹³ / ₁₆ " x 23 ⁵ / ₈ "		9	17,00	64,89	32	544,00	2076,48	8,5
11 ¹³ / ₁₆ " x 11 ¹³ / ₁₆ "	Mosaic	10	9,45	32,43	54	510,30	1751,22	8,5
14 ⁹ / ₁₆ " x 16 ¹ / ₈ "	Freccia Mosaic	4	5,49	34,14	52	289,87	1767,64	9,5
2 ³ / ₄ " x 23 ⁵ / ₈ "	Bullnose	15	-	35,25	48	-	1692,00	8,5

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE STATEMENTS

www.surfacestatements.com

CLEFT STONE

USONIAN