

OCEAN STONE



USONIAN



SS65RCT2448MT Sand Natural Rect. 23^{5/8}x47^{1/4}" - 60x120 cm



SS67RCT2448DCMT Dark Gray Deco Groove Natural Rect. 23^{5/8} x 47^{1/4} - 60x120 cm
SS66RCT2448MT Gray Natural Rect. 23^{5/8} x 47^{1/4} - 60x120 cm
SS67RCT2448MT Dark Gray Natural Rect. 23^{5/8} x 47^{1/4} - 60x120 cm






SS67RCT2448MT Dark Gray Natural Rect. 23^{5/8}"x47^{1/4}" - 60x120 cm
SS67RCT1224MT Dark Gray Natural Rect. 11^{13/16}"x23^{5/8}" - 30x60 cm



OCEAN STONE

MADE IN USA

SIZES AND DECORS



OCEAN STONE

MADE IN USA

SIZES



Natural R10 Rect.
23^{5/8}"x47^{1/4}" – 60x120 cm
White
Sand
Gray
Dark Gray



Natural R10 Rect.
11^{13/16}"x23^{5/8}" – 30x60 cm
White
Sand
Gray
Dark Gray

Laying with a 3.2 mm (1/8") joint is recommended. Check the colour matching between different sizes.

DECORS



Mosaic - Mosaico* Natural R10
Chip - Tessera 1^{7/8}"x1^{7/8}" – 4,8x4,8 cm




11^{13/16}"x11^{13/16}" – 30x30 cm
White



11^{13/16}"x11^{13/16}" – 30x30 cm
Sand



11^{13/16}"x11^{13/16}" – 30x30 cm
Gray



11^{13/16}"x11^{13/16}" – 30x30 cm
Dark Gray

* On fibre mesh backing

TRIMS



Bullnose
Natural Rect.
2^{3/4}"x23^{5/8}" – 7x60 cm
White
Sand
Gray
Dark Gray



Cove Base*
2^{3/4}"x23^{5/8}" – 7x60 cm

*Please contact EmilAmerica for infos on covebase and corners


Fine porcelain stoneware

ISO 13006 Annex G – UNI EN 14411 Annex G – Bla UGL
ANSI 137.1 CBR

TECHNICAL FEATURES	STANDARD	VALUE
 WATER ABSORPTION (AVERAGE VALUE EXPRESSED IN %)	UNI EN ISO 10545/3	CONFORME
	ASTM C373	COMPLIANT
 MODULUS OF RUPTURE	UNI EN ISO 10545/4	≥ 35 N/mm²
	BREAKING STRENGTH	
 FROST RESISTANCE	UNI EN ISO 10545/12	CONFORME
	ASTM C1026	UNAFFECTED
 CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13	A – LA – HA
	ASTM C-650	UNAFFECTED
 STAIN RESISTANCE	UNI EN ISO 10545/14	5
 SLIP RESISTANCE		NAT.
	DIN EN 16165 Annex B	R10
	DIN EN 16165 Annex A	B (A+B)
	ANSI A326.3:2017 DCOF	WET ≥ 0,50



Heavy pedestrian traffic (e.g. railway stations, airports, retail malls).



PACKING AND WEIGHT
IMBALLAGGI E PESI

Size Formato	Thickness Spessore mm	Pieces x Box Pz. x Scat.	Sq. F. x Box Piedi Q. x Scat.	Weight x Box Peso x Scat. Lbs	Boxes x Pal. Scat. x Pal.	Sq. F. x Pal. Piedi Q. x Pal.	Weight x Pal. Peso x Pal. Lbs
23 ^{5/8} "x47 ^{1/4} " – 60x120 cm Natural	9.5	2	15.26	64.14	36	549.36	2309.04
11 ^{13/16} "x23 ^{5/8} " – 30x60 cm Natural	8.5	9	17.00	64.89	32	544.00	2076.48
23 ^{5/8} "x47 ^{1/4} " – 60x120 cm Deco Groove Nat.	9.5	2	15.26	64.14	36	549.36	2309.04
11 ^{13/16} "x11 ^{13/16} " – 30x30 cm Mosaico Natural	8.5	10	9.45	32.43	54	510.30	1751.22
2 ^{3/4} "x23 ^{5/8} " – 7x60 cm Bullnose Natural	8.5	15	-	35.25	48	-	1692.00

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process. The manufacturer reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

SURFACE
STATEMENTS

www.surfacestatements.com

OCEAN STONE



USONIAN